EAST SEARCH

6/16/05

L#	Hits	Search String	Databases
S1	2	6,311,144.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S2	46188	((computer or communication or information) near2 (system or network)) with (development or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S3	1397	S2 and ((development or design or implementation) near2 phase$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S4	245	S3 and (performance near2 (criteria or requirement$1 or metrics))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S5	59	S4 and (validat$3 near2 design)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S6	23	S4 and (predict$3 near2 model$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S7	53	S4 and (prototype with (construction or phase$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S8	72	S4 and (scal$3 near2 component$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S9	52	S4 and (business near2 component$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S10	173	S4 and ((application or system) near2 component$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S11	62	S4 and ((application or system) near2 layer$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S12	61	S10 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S13	34	S4 and (business near2 layer$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S14	2	S4 and (standard near2 component$1 near2 library)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S15	12	S4 and (component$1 near2 library)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S16	95	S4 and (standard near2 component$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S17	94	S10 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S18	107	S4 and (component$1 near2 model)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S19	101	(S9 or S10) and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S20	39	S4 and (cost near2 analysis)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S21	43	S4 and (predict$3 near2 performance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S22	79	S4 and (performance with (workload or volume))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S23	103	S4 and (performance with (tradeoff$1 or trade-off$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S24	88	S10 and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S25	112	S4 and (performance with (quality or robustness))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S26	81	S10 and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S27	34	S4 and (validat$3 with prototype)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S28	166	S5 or S6 or S7 or S8 or S9 or S12 or S13 or S14 or S15 or S17 or S19 or S20 or S21 or S22 o	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S29	49	S6 or S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S30	67	S3 and (predict$3 near2 model$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S31	65	S3 and (predict$3 near2 performance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S32	108	S30 or S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S33	6903	S2 and (system near2 performance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S34	234	S33 and (performance near2 predict$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S35	46209	((computer or communication or information) near2 (system or network)) with (development or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S36	1397	S35 and ((development or design or implementation) near2 phase$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S37	245	S36 and (performance near2 (criteria or requirement$1 or metrics))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S38	59	S37 and (validat$3 near2 design)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S39	23	S37 and (predict$3 near2 model$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S40	53	S37 and (prototype with (construction or phase$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

S41	72	S37 and (scal$3 near2 component$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S42	52	S37 and (business near2 component$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S43	173	S37 and ((application or system) near2 component$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S44	62	S37 and ((application or system) near2 layer$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S45	61	S43 and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S46	34	S37 and (business near2 layer$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S47	2	S37 and (standard near2 component$1 near2 library)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S48	12	S37 and (component$1 near2 library)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S49	95	S37 and (standard near2 component$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S50	94	S43 and S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S51	107	S37 and (component$1 near2 model)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S52	101	(S42 or S43) and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S53	39	S37 and (cost near2 analysis)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S54	43	S37 and (predict$3 near2 performance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S55	79	S37 and (performance with (workload or volume))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S56	103	S37 and (performance with (tradeoff$1 or trade-off$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S57	88	S43 and S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S58	112	S37 and (performance with (quality or robustness))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S59	81	S43 and S58	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S60	34	S37 and (validat$3 with prototype)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S61	166	S38 or S39 or S40 or S41 or S42 or S45 or S46 or S47 or S48 or S50 or S52 or S53 or S54 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S62	67	S36 and (predict$3 near2 model$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S63	65	S36 and (predict$3 near2 performance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S65	6903	S35 and (system near2 performance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S67	65	S36 and (predict$3 near2 performance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S64	108	S62 or S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S66	234	S65 and (performance near2 predict$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S68	53	S66 and ((development or design or implementation) near2 phase$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S130	61	S100 and (performance near2 predict$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S131	1021	S100 and (system near2 performance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S132	1031	S130 or S131	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S133	91	S132 and "batch processing"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S135	470	S132 and (transaction$2 near2 processing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S136	45	S133 and S135	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S137	646	S132 and (messaging)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S138	44	S133 and S137	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S139	53	S134 or S136 or S138	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S134	2	S132 and ((query near2 based) near2 processing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

10/014317   Nabi Abu El Ata

EAST SEARCH

6/16/05

Results of search set S61

Document	Kind Codes	Title	Issue Date	Current OR	Abstract
US 20050107055	A1	Integrated switchless programmable attenuator and low noise amplifier	20050519	455/234.1	
US 20050055110	A1	Manufacturing design and process analysis and simulation system	20050310	700/31	
US 20050046584	A1	Asset system control arrangement and method	20050303	340/825.72	
US 20050030108	A1	Integrated VCO having an improved tuning range over process and temperature variations	20050210	331/16	
US 20050017488	A1	Weight measuring systems and methods for vehicles	20050127	280/735	
US 20050015744	A1	Method for categorizing, describing and modeling types of system users	20050120	717/104	
US 20040236547	A1	System and method for automated placement or configuration of equipment for obtaining desire	20041125	703/2	
US 20040219898	A1	Variable gain amplifier for low voltage applications	20041104	455/252.1	
US 20040212417	A1	Large gain range, high linearity, low noise MOS VGA	20041028	327/363	
US 20040189388	A1	Variable transconductance variable gain amplifier utilizing a degenerated differential pair	20040930	330/254	
US 20040167765	A1	System and method for improving predictive modeling of an information system	20040826	703/22	
US 20040160286	A1	Applications for differential cystal oscillator	20040819	331/185	
US 20040143428	A1	System and method for automated placement or configuration of equipment for obtaining desire	20040722	703/22	
US 20040133415	A1	Method and system, with component kits, for designing or deploying a communications network	20040708	703/22	
US 20040129478	A1	Weight measuring systems and methods for vehicles	20040708	180/273	
US 20040107125	A1	Business alliance identification in a web architecture	20040603	705/7	
US 20040107111	A1	Delivery system and method for vehicles and the like	20040603	705/1	
US 20040100588	A1	Expanded information capacity for existing communication transmission systems	20040527	348/608	
US 20040100338	A1	Oscillator module incorporating looped-stub resonator	20040527	331/107SL	
US 20040073448	A1	Delivery system and method for vehicles and the like	20040415	705/1	
US 20040054554	A1	Delivery system and method for vehicles and the like	20040318	705/1	
US 20040038683	A1	Method and system, with component kits for designing or deploying a communications network	20040226	455/446	
US 20040015833	A1	Computer system and computer implemented process for representing software system descri	20040122	717/106	
US 20040006584	A1	Array of parallel programmable processing engines and deterministic method of operating the s	20040108	718/107	
US 20030200208	A1	Method for rule-based retrieval of database records	20031023	707/3	
US 20030194978	A1	System and method for coarse/fine PLL adjustment	20031016	455/197.1	
US 20030172145	A1	System and method for designing, developing and implementing internet service provider archit	20030911	709/223	
US 20030162521	A1	System and method for on-chip filter tuning	20030828	455/302	
US 20030147353	A1	METHODS AND APPARATUS FOR CHARACTERIZATION, ADJUSTMENT AND OPTIMIZ	20030807	370/252	
US 20030142633	A1	Automated installation of network service in a telecommunications network	20030731	370/254	
US 20030139918	A1	Evaluating hardware models having resource contention	20030724	703/22	
US 20030139917	A1	Late binding of resource allocation in a performance simulation infrastructure	20030724	703/21	
US 20030128071	A1	Variable transconductance variable gain amplifier utilizing a degenerated differential pair	20030710	330/254	
US 20030110067	A1	Accelerated process improvement framework	20030612	705/8	
US 20030107427	A1	Temperature compensation for internal inductor resistance	20030612	327/513	
US 20030076198	A1	Microstrip phase shifter	20030424	333/161	
US 20030058277	A1	A VIEW CONFIGURER IN A PRESENTATION SERVICES PATTERNS ENVIROMENT	20030327	715/765	
US 20030040954	A1	Method and system for product optimization	20030227	705/10	
US 20030033191	A1	Method and apparatus for a product lifecycle management process	20030213	705/10	
US 20030030497	A1	Integrated VCO having an improved tuning range over process and temperature variations	20030213	331/34	
US 20030022646	A1	INTEGRATED SWITCHLESS PROGRAMMABLE ATTENUATOR AND LOW NOISE AMPL	20030130	455/232.1	
US 20030020544	A1	Large gain range, high linearity, low noise MOS VGA	20030130	330/254	
US 20020194393	A1	Method of determining causal connections between events recorded during process execution	20021219	719/318	
US 20020180001	A1	System and method for ESD protection	20021205	257/546	
US 20020161907	A1	Adaptive multi-protocol communications system	20021031	709/230	

Patent Number	Title	Date	Class
US 20020140869 A1	System and method for providing a low power receiver design	20021003	348/726
US 20020138659 A1	Method and system for application development and a data processing architecture utilizing des	20020926	719/313
US 20020133394 A1	Method for categorizing, describing and modeling types of system users	20020919	705/10
US 20020120490 A1	Vehicle systems concept development process	20020829	705/10
US 20020107834 A1	Quality assurance of data extraction	20020808	707/1
US 20020095304 A1	System, method, and apparatus for storing emissions and susceptibility information	20020718	705/1
US 20020082893 A1	Delivery system and method for vehicles and the like	20020627	705/8
US 20020050861 A1	Variable transconductance variable gain amplifier utilizing a degenerated differential pair	20020502	330/254
US 20020047942 A1	Digital IF demodulator for video applications	20020425	348/731
US 20020040466 A1	Automated EMC-driven layout and floor planning of electronic devices and systems	20020404	716/9
US 20020035450 A1	Network-based system for the manufacture of parts with a virtual collaborative environment for	20020321	703/1
US 20020033706 A1	System method, and apparatus for field scanning	20020321	324/750
US 20010052108 A1	SYSTEM, METHOD AND ARTICLE OF MANUFACTURING FOR A DEVELOPMENT ARCH	20011213	717/100
US 20010041548 A1	Variable gain amplifier for low voltage applications	20011115	455/252.1
US 20010011211 A1	A METHOD FOR CATEGORIZING, DESCRIBING AND MODELING TYPES OF SYSTEM L	20010802	703/22
US 20010011013 A1	System and method for on-chip filter tuning	20010802	455/307
US 20010008430 A1	System and method for providing a low power receiver design	20010719	348/725
US 20010007151 A1	FULLY INTEGRATED TUNER ARCHITECTURE	20010705	725/151
US 6904449 B1	System and method for an application provider framework	20050607	709/203
US 6885275 B1	Multi-track integrated spiral inductor	20050426	336/200
US 6879816 B2	Integrated switchless programmable attenuator and low noise amplifier	20050412	455/232.1
US 6865381 B2	System and method for on-chip filter tuning	20050308	455/307
US 6853966 B2	Method for categorizing, describing and modeling types of system users	20050208	703/13
US 6847853 B1	Fabrication rules based automated design and manufacturing system and method	20050125	700/97
US 6842906 B1	System and method for a refreshable proxy pool in a communication services patterns environm	20050111	719/330
US 6842431 B2	Methods and apparatus for characterization, adjustment and optimization of wireless networks	20050111	370/254
US 6834380 B2	Automated EMC-driven layout and floor planning of electronic devices and systems	20041221	716/10
US 6825734 B2	Oscillator module incorporating spiral looped-stub resonator	20041130	331/96
US 6807583 B2	Method of determining causal connections between events recorded during process execution	20041019	719/318
US 6803829 B2	Integrated VCO having an improved tuning range over process and temperature variations	20041012	331/34
US 6789054 B1	Geometric display tools and methods for the visual specification, design automation, and contro	20040907	703/6
US 6759904 B2	Large gain range, high linearity, low noise MOS VGA	20040706	330/254
US 6744320 B2	Variable transconductane variable gain amplifier utilizing a degenerated differential pair	20040601	330/254
US 6742015 B1	Base services patterns in a netcentric environment	20040525	718/101
US 6721713 B1	Business alliance identification in a web architecture framework	20040413	705/1
US 6715145 B1	Processing pipeline in a base services pattern environment	20040330	718/101
US 6704873 B1	Secure gateway interconnection in an e-commerce based environment	20040309	713/201
US 6701345 B1	Providing a notification when a plurality of users are altering similar data in a health care solution	20040302	709/205
US 6697824 B1	Relationship management in an E-commerce application framework	20040224	709/229
US 6696898 B1	Differential crystal oscillator	20040224	331/116FE
US 6684065 B2	Variable gain amplifier for low voltage applications	20040127	455/252.1
US 6662357 B1	Managing information in an integrated development architecture framework	20031209	717/120
US 6651037 B1	Method of optimizing design of an HVAC air-handling assembly for a climate control system	20031118	703/8
US 6647342 B2	Knowledge-based process for the development of materials	20031111	702/22
US 6640249 B1	Presentation services patterns in a netcentric environment	20031028	709/228
US 6640244 B1	Request batcher in a transaction services patterns environment	20031028	709/207
US 6640238 B1	Activity component in a presentation services patterns environment	20031028	709/201

Patent No.	Title	Date	Class
US 6636242 B2	View configurer in a presentation services patterns environment	20031021	715/764
US 6629081 B1	Account settlement and financing in an e-commerce environment	20030930	705/30
US 6625454 B1	Method and system for designing or deploying a communications network which considers freq	20030923	455/446
US 6615253 B1	Efficient server side data retrieval for execution of client side applications	20030902	709/219
US 6615199 B1	Abstraction factory in a base services pattern environment	20030902	706/50
US 6615166 B1	Prioritizing components of a network framework required for implementation of technology	20030902	703/27
US 6611500 B1	Methods and apparatus for derivative-based optimization of wireless network performance	20030826	370/252
US 6606660 B1	Stream-based communication in a communication services patterns environment	20030812	709/227
US 6601234 B1	Attribute dictionary in a business logic services environment	20030729	717/108
US 6601192 B1	Assertion component in environment services patterns	20030729	714/38
US 6591091 B1	System and method for coarse/fine PLL adjustment	20030708	455/179.1
US 6581048 B1	3-brain architecture for an intelligent decision and control system	20030617	706/23
US 6578068 B1	Load balancer in environment services patterns	20030610	709/203
US 6571282 B1	Block-based communication in a communication services patterns environment	20030527	709/219
US 6560569 B1	Method and apparatus for designing and analyzing information systems using multi-layer mathe	20030506	703/2
US 6550057 B1	Piecemeal retrieval in an information services patterns environment	20030415	717/126
US 6549949 B1	Fixed format stream in a communication services patterns environment	20030415	709/236
US 6549766 B2	System and method for on-chip filter tuning	20030415	455/307
US 6539396 B1	Multi-object identifier system and method for information service pattern environment	20030325	707/103R
US 6536037 B1	Identification of redundancies and omissions among components of a web based architecture	20030318	717/151
US 6529948 B1	Multi-object fetch component	20030304	709/217
US 6529909 B1	Method for translating an object attribute converter in an information services patterns environr	20030304	707/10
US 6525609 B1	Large gain range, high linearity, low noise MOS VGA	20030225	330/254
US 6522985 B1	Emulation devices, systems and methods utilizing state machines	20030218	702/117
US 6519571 B1	Dynamic customer profile management	20030211	705/14
US 6509796 B2	Variable transconductance variable gain amplifier utilizing a degenerated differential pair	20030121	330/254
US 6504420 B1	Temperature compensation for internal inductor resistance	20030107	327/513
US 6502213 B1	System, method, and article of manufacture for a polymorphic exception handler in environment	20021231	714/49
US 6496850 B1	Clean-up of orphaned server contexts	20021217	709/203
US 6480850 B1	System and method for managing data privacy in a database management system including a c	20021112	707/9
US 6477665 B1	System, method, and article of manufacture for environment services patterns in a netcentic en	20021105	714/39
US 6477580 B1	Self-described stream in a communication services patterns environment	20021105	709/231
US 6473794 B1	System for establishing plan to test components of web based framework by displaying pictoria	20021029	709/223
US 6445039 B1	System and method for ESD Protection	20020903	257/355
US 6442748 B1	System, method and article of manufacture for a persistent state and persistent object separat	20020827	717/108
US 6438594 B1	Delivering service to a client via a locally addressable interface	20020820	709/225
US 6434628 B1	Common interface for handling exception interface name with additional prefix and suffix for ha	20020813	707/103R
US 6434568 B1	Information services patterns in a netcentric environment	20020813	707/103R
US 6433835 B1	Expanded information capacity for existing communication transmission systems	20020813	348/608
US 6426680 B1	System and method for narrow band PLL tuning	20020730	331/34
US 6408428 B1	Automated design of processor systems using feedback from internal measurements of candid	20020618	716/17
US 6405364 B1	Building techniques in a development architecture framework	20020611	717/101
US 6405159 B2	Method for categorizing, describing and modeling types of system users	20020611	703/13
US 6377315 B1	System and method for providing a low power receiver design	20020423	348/726
US 6370681 B1	COMPUTER SYSTEM AND COMPUTER IMPLEMENTED PROCESS FOR REPRESENTIN	20020409	717/110
US 6370573 B1	System, method and article of manufacture for managing an environment of a development arcl	20020409	709/223
US 6339832 B1	Exception response table in environment services patterns	20020115	714/35

Patent Number	Title	Date	Class
US 6332163 B1	Method for providing communication services over a computer network system	20011218	709/231
US 6327551 B1	System design method	20011204	703/1
US 6324647 B1	System, method and article of manufacture for security management in a development architec	20011127	713/201
US 6311144 B1	Method and apparatus for designing and analyzing information systems using multi-layer mathe	20011030	703/2
US 6295513 B1	Network-based system for the manufacture of parts with a virtual collaborative environment for (	20010925	703/1
US 6289382 B1	System, method and article of manufacture for a globally addressable interface in a communica	20010911	709/226
US 6285865 B1	System and method for on-chip filter tuning	20010904	455/307
US 6275797 B1	Method and apparatus for measuring voice path quality by means of speech recognition	20010814	704/233
US 6256773 B1	System, method and article of manufacture for configuration management in a development arc	20010703	717/121
US 6230403 B1	Interconnection system	20010515	29/852
US 6169981 B1	3-brain architecture for an intelligent decision and control system	20010102	706/23
US 6110213 A	Fabrication rules based automated design and manufacturing system and method	20000829	703/1
US 6085336 A	Data processing devices, systems and methods with mode driven stops	20000704	714/30
US 6041856 A	Real-time pump optimization system	20000328	166/53
US RE36602 E	Concurrent engineering design tool and method	20000307	700/97
US 6032268 A	Processor condition sensing circuits, systems and methods	20000229	714/30
US 5941305 A	Real-time pump optimization system	19990824	166/53
US 5822206 A	Concurrent engineering design tool and method	19981013	700/97
US 5805792 A	Emulation devices, systems, and methods	19980908	714/28
US 5671415 A	System and method for facilitating software development	19970923	717/101
US 5552995 A	Concurrent engineering design tool and method	19960903	700/97
US 5329471 A	Emulation devices, systems and methods utilizing state machines	19940712	703/23
US 5233513 A	Business modeling, software engineering and prototyping method and apparatus	19930803	705/7
US 5208765 A	Computer-based method and system for product development	19930504	702/84
US 5161158 A	Failure analysis system	19921103	714/26
US 4926362 A	Airbase sortie generation analysis model (ABSGAM)	19900515	703/8
US 4558413 A	Software version management system	19851210	707/203

Inventor Name search

Patent Number	Title	Date	Count
US 20040249482 A1	System and method of predictive modeling for managing decisions for business enterprises	20041209	39
US 20040167765 A1	System and method for improving predictive modeling of an information system	20040826	27
US 6789050 B1	Method and apparatus for modeling a web server	20040907	
US 6560569 B1	Method and apparatus for designing and analyzing information systems using multi-layer mathe	20030506	25
US 6311144 B1	Method and apparatus for designing and analyzing information systems using multi-layer mathe	20011030	23
WO 2004100041 A2	SYSTEM AND METHOD OF PREDICTIVE MODELING FOR MANAGING DECISIONS FOF	20041118	
US 20040249482 A	Predictive modeling method in business enterprise, involves generating model expressing dyna	20041209	
US 20020049573 A	Model based system architecture designing process in financial institution, involves comparing	20020425	
WO 200219148 A	Designing model-based system architecture by mapping business processes to application cor	20020307	
US 6311144 B	Information system designing apparatus for business organization, designs initial and additiona	20011030	23